NNHS.Q140: A Prostate-specific Antigen test, also called a PSA test is a blood test used to check men for prostate cancer. Has a doctor, nurse or other health professional EVER talked to you about the PSA test? (Men aged 40+)

	Percent	Lower Estimate	Upper Estimate	N
Yes	31.9%	21.7%	44.2%	380

#### Has a doctor, nurse or other health professional EVER talked to you about the PSA test, by Age Group

	Point	Lower	Upper	N
40-49	24.6%	6.0%	60.2%	60
50-59	30.6%	17.9%	47.0%	127
60-69	39.0%	26.8%	52.9%	126
70-79	45.5%	24.8%	67.9%	56
80+	44.6%	7.4%	89.0%	11

#### Has a doctor, nurse or other health professional EVER talked to you about the PSA test, by Agency

Point	Lower	Upper	N
NA		1 7	1//
23.7%	16.7%	32.4%	124
45.7%	24.2%	68.9%	78
32.2%	19.9%	47.6%	102
21.2%	12.4%	33.9%	76
	NA 23.7% 45.7% 32.2%	NA  23.7%  16.7%  45.7%  24.2%  32.2%  19.9%	NA  23.7%  16.7%  32.4%  45.7%  24.2%  68.9%  32.2%  19.9%  47.6%

NNHS.Q141: Has a doctor, nurse or other health professional EVER recommended that you have a PSA test? (Men aged 40+)

	Percent	Lower Estimate	Upper Estimate	N
Yes	20.0%	13.6%	28.3%	369

# Has a doctor, nurse or other health professional EVER recommended that you have a PSA test, by Age Group

	Point	Lower	Upper	N
40-49	5.9%	2.0%	16.1%	60
50-59	21.3%	11.2%	36.7%	125
60-69	29.9%	16.2%	48.5%	120
70-79	48.7%	29.9%	67.9%	54
80+	47.5%	7.5%	91.0%	10
ATD-270.				

## Has a doctor, nurse or other health professional EVER recommended that you have a PSA test, by Agency

Agency	Point	Lower	Upper	N
Chinle	NA		1	1//
Eastern	14.7%	9.8%	21.5%	123
Ft. Defiance	18.8%	9.3%	34.2%	78
Northern	21.7%	10.1%	40.6%	99
Western	31.6%	23.7%	40.7%	69

#### NNHS.Q142: Have you EVER HAD a PSA test? (Men aged 40+)

	Percent	Lower Estimate	<b>Upper Estimate</b>	N
Yes	19.6%	13.4%	27.8%	387

#### Have you EVER HAD a PSA test, by Age Group

Point	Lower	Upper	N
7.1%	2.4%	19.1%	62
20.5%	10.6%	35.9%	133
30.2%	15.9%	49.8%	124
39.9%	20.8%	62.6%	55
41.3%	7.4%	86.1%	13
	7.1% 20.5% 30.2% 39.9%	7.1% 2.4% 20.5% 10.6% 30.2% 15.9% 39.9% 20.8%	7.1%       2.4%       19.1%         20.5%       10.6%       35.9%         30.2%       15.9%       49.8%         39.9%       20.8%       62.6%

#### Have you EVER HAD a PSA test, by Agency

Agency	Point	Lower	Upper	N
Chinle	NA	P 151	(7)	<u>. 11</u>
Eastern	13.5%	9.6%	18.7%	129
Ft. Defiance	18.1%	9.8%	31.0%	77
Northern	27.1%	14.5%	44.9%	107
Western	24.1%	12.5%	41.5%	74

NNHS.Q 143: What was the MAIN reason you had this PSA test—was it...? (N=123)

Reason	Percent	Lower Estimate	Upper Estimate
Part of a routine exam	83.9%	76.2%	89.5%
Because of a prostate problem	4.5%	1.7%	11.3%
Because of a family history of prostate cancer	0.08%	0.01%	0.6%
Because you were told you had prostate cancer	3.4%	1.2%	9.4%
Some other reason	8.1%	3.7%	17.1%

#### Main reason for PSA test, by Age Group, Routine Exam

Point	Lower	Upper	N
78.8%	25.3%	97.6%	11
92.8%	78.8%	97.8%	34
88.3%	71.5%	95.8%	46
61.5%	29.3%	86.1%	28
99.0%	42.4%	99.99%	4
	78.8% 92.8% 88.3% 61.5%	78.8% 25.3% 92.8% 78.8% 88.3% 71.5% 61.5% 29.3%	78.8%       25.3%       97.6%         92.8%       78.8%       97.8%         88.3%       71.5%       95.8%         61.5%       29.3%       86.1%

Main reason for PSA test, by Agency, Routine Exam

Agency	Point	Lower	Upper	N
Chinle	NA			
Eastern	79.4%	65.0%	88.9%	38
Ft. Defiance	96.1%	86.7%	98.9%	28
Northern	75.4%	36.8%	94.2%	30
Western	48.4%	43.8%	53.0%	27

Note: 20.6% of Western agency exams were due to a prostate problem

